




FREE UK MAINLAND SHIPPING OVER £100*

[HOME](#) > H65 HYDRAULIC BLOCK & SLAB SPLITTER



H65 Hydraulic Block & Slab Splitter

[VIEW SPARES](#)

H65 Hydraulic Block & Slab Splitter



The H65 is an economical hydraulic block and slab splitter designed to conveniently and efficiently split a wide variety of concrete and masonry building materials (with parallel faces), such as paving slabs, paving blocks, kerb stones, bricks, building blocks etc.

Using a hydraulic block and slab splitter does not create noise or dust like cutting materials with a disc cutter would. It is not only therefore more environmentally friendly, but also a more considerate means of preparing materials in urban spaces and noise sensitive areas. It is also surprisingly quick, easy and simple to use.

The Tonnes of pressure produced by the mounted hydraulic jack are further amplified to assist the splitting action, enabling even the most robust masonry and concrete products to be split with relative ease. The splitting depth achievable with the H65 is considerably greater than the cutting depth of a disc cutter, enabling larger materials like kerbs etc to be split without reversing the material.

The H65 is designed to split materials with parallel faces and/or pre-sawn surfaces only. They are not suitable for splitting natural stones etc with non-parallel surfaces.

Block splitters are designed to exert force onto materials from the top and bottom, causing them to fracture/split, rather than producing a sawn edge finish like a disc cutter would. The only way to achieve a sawn edge finish is by using a bladed cutter.

£1,050.00

£875.00 Exc. VAT

RRP from **£1,398.00** Inc. VAT

In stock
SKU#: H65split

- 1 +
🛒 ADD TO BASKET
👤
📊

Specification

Maximum Cutting Height	235mm
Minimum Cutting Height	45mm
Maximum Cutting Width	640mm
Weight	100kg
Our Price	£875.00



DETAILS

The H65 is robust and ideal for prolonged site use.

- Three sided, reversible blades with hardened cutting edges, extending blade life
- Fitted with transportation wheels as standard
- Large work surface to support material during splitting

NB - We do not recommend the use of the H65 for splitting natural stone which has not been sawn/pre-prepared and does not have parallel faces/surfaces.

NEED HELP OR ADVICE?

0116 260 2601

sales@redbanduk.co.uk

FOLLOW US

- - - -

Construction & Groundworks

[Special Offers & Clearance](#)

[Hand Held Cutters](#)

[Concreting](#)

[Compaction](#)

[Floor Saws](#)

[Tile & Masonry & Block Saws](#)

[Diamond Drilling](#)

[Diamond Products](#)

[Moving](#)

[Surface Preparation](#)

[Hydraulic Power Packs & Breakers](#)

[Block Paving & Block Splitters](#)

[Wood Saws](#)

Forest, Garden & Landscaping

[Clearance Stock Sale](#)



[Chainsaws](#)

[Trimmers, Brushcutters & Pruners](#)

[Blowers](#)

[Robotic Automowers](#)

[Pedestrian Mowers](#)

[Garden Tractors](#)

[Outfront Riders](#)

[Kanga Loaders](#)

Useful

[Terms & Conditions](#)

[Privacy Policy](#)

[Delivery & Returns](#)

[Contact Us](#)

[FAQs](#)

Red Band UK LTD, Units 41-45 The Warren, East Goscote Ind Est, East Goscote, Leicestershire, LE7

3XA

© Red Band UK . All Rights Reserved Company registration number: 01572510 VAT no:
GB371768522